

# NEW YORK STUCCO FINISH

## SECTION I – PRODUCT IDENTIFICATION

Formulated Solutions LLC  
25-44 Borough Place, Woodside, NY 11377  
Telephone: 718-267-6380  
Emergency Phone: 718-267-6380  
Generic ID: Latex Based Stucco Finish  
Product Identity: New York Stucco Finish  
Date Prepared: 7/1/10

## SECTION II – INGREDIENTS

Ingredient Name	CAS Number	Percent	Exposure Limits
Water	7732-18-5	25–35	N/A
Sand (encapsulated)	14808-60-7	25–45	10mg/m3 (ACGIH)
Acrylic Polymer	N/A	14–21	N/A
Titanium Dioxide	13463-67-7	0–8	10mg/m3 (ACGIH)
Amorphous Silica	7631-86-9	0–8	10mg/m3 (ACGIH)

\*Other Non-Hazardous Ingredients considered a Trade Secret

## SECTION III – PHYSICAL DATA

Initial Boiling Point: 212°F  
Vapor Pressure: Same as water  
Vapor Density (Air=1.0): Same as water  
Specific Gravity: 1.3–1.9  
Percent Volatiles: 32–50.0%  
VOC g/l: 0

## SECTION IV – FIRE AND EXPLOSION DATA

Flash Point: N/A  
Explosive Limit (Product): N/A  
Extinguishing Media: None to avoid  
SPECIAL FIRE FIGHTING PROCEDURES: Wear positive pressure, self-contained breathing apparatus (SCBA) in enclosed area.  
UNUSUAL FIRE & EXPLOSION HAZARDS: None

## SECTION V – HEALTH HAZARD DATA

Permissible Exposure Level: N/A  
Threshold Limit Value: N/A

### EFFECTS OF EXPOSURE

Skin: Possible mild irritation  
Eyes: Possible mild irritation  
Inhalation: Possible mild irritation

### FIRST AID

Skin: Wash exposed skin with soap and water.  
Eyes: Flush with water, lifting upper and lower lids occasionally. If irritation persists seek medical attention.  
Inhalation: If affected, remove individual to fresh air. Use only in well-ventilated areas.  
Ingestion: Do not induce vomiting. Call physician or transport to an emergency facility.

## SECTION VI – REACTIVITY DATA

Stability: Stable  
Incompatibility: Strong oxidizing agents or acids  
Hazardous Decomposition: CO, CO<sub>2</sub>, CN and NO<sub>x</sub>  
Hazardous Polymerization: None  
Conditions to Avoid: None known

# MATERIAL SAFETY DATA SHEET

## SECTION VII – SPILL OR LEAK PROCEDURES

### STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED

OR SPILLED: Absorb liquid on paper, vermiculite, floor absorbent, or other absorbent material. Solidified materials accepted for landfill disposal in most locations.  
Check all local, state, and federal regulations.

## SECTION VIII – PROTECTIVE EQUIPMENT

Ventilation: None required when used on exterior. Provide adequate air movement and mechanical ventilation if used in an enclosed area.

Respirator Protection: None needed

Protective Gloves: If sensitive

Eye Protection: Wear glasses or protective goggles to avoid splashes.

Other Protective Equipment: None required

WASH HANDS THOROUGHLY WITH SOAP AND WATER.

## SECTION IX – SPECIAL PRECAUTIONS

Protect from freezing.

Use only in applications as stated on the label. Do not take internally. Close container after each use. Avoid skin and eye contact.

Ventilation with fresh air, including open doors and windows should be observed during any installation. Operate HVAC systems at 100% fresh air intake before, during and after installation to eliminate lingering odors or particulate matter.

This information is furnished without warranty, representation, or license of any kind, except that this information is accurate to the best of the manufacturer's knowledge, or is obtained from sources believed by the manufacturer to be accurate and is not intended to be inclusive. No warranty is expressed or implied regarding the accuracy of this information or the results to be obtained from its use thereof. The manufacturer assumes no responsibility for injuries proximately caused by use of the material if reasonable safety procedures are not followed as stipulated in this data sheet. Additionally, the manufacturer assumes no responsibility for injuries proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Buyer assumes the risk in its use of the material.

## KEEP OUT OF REACH OF CHILDREN